





TYLÖ®

AUTOMATISK DÖRRSTÄNGARE AUTOMATISCHER TÜRSCHLIESSER AUTOMATIC DOORCLOSER FERMETURE AUTOMATIQUE POUR PORTE



Maximal förspänning 2 hål
Maximum pre-tension 2 holes
Prétension maxi un demi-tour (2 trous)
Maximale Voorspanning 2 Löcher
Pretensado máximo 2 agujeros
Pretensionamento massimo 2 giri
Maximale voorspanning 2 gaatjes

FÅR INTE ÖPPNAS LÄNGRE ÄN 90°
MUST NOT OPEN FURTHER THAN 90°
OUVERTURE MAXI 90°
BESTIMMT NICHT WEITER ÖFFNEN ALS 90°
APERTURA MAXIMA 90°
NON APRIRE OLTRE I 90°
NIET VERDER OPENEN DAN 90°



Manufactured by Tylö AB

Vid eventuella problem kontakta inköpsstället.

In the event of any problems, please contact the retailer where you purchased the equipment.




Bei eventuellen Störungen setzen Sie sich bitte mit Ihrem Händler in Verbindung.

En cas de problèmes éventuels, prière de s'adresser au point de vente.


© This Publication may not be reproduced in part or in whole without written permission from Tylö.
Tylö reserves the right to amend specifications to materials, construction and design.

Skyddsplåt mot repor


Protecting plate against scratches




1A




1B





1C



2



3



4

